

CLAIMS

What is claimed to be new and desired to be protected by Letters Patent is set forth in the appended claims.

- Sub B1
- 100020-62500000
1. A towel attachment device comprising:
 - a) a towel including an eyelet extending therethrough;
 - b) a clasp for releasably securing said device to clothing of a user, said clasp forming an S-Clip including a first side clip for releasably securing said clasp to the clothing and a second side clip; and
 - c) means for releasably attaching said towel and said clasp wherein said attaching means passes through said eyelet and is releasably secured to said second side clip thereby releasably securing said towel to the clothing via said attachment means and said clasp when said first side clip is secured to the clothing.
 2. A towel attachment device as stated in Claim 1, wherein said S-Clip is constructed of a rigid material so as not to lose shape.

3. A towel attachment device comprising:

- a) a towel including an eyelet extending therethrough;
- b) a clasp for releasably securing said device to clothing of a user, said clasp comprising a retractable wire clip including a wire housing case; a wire positioned within said wire housing case; and a clip connected to said wire housing case, whereby said clip releasably secures said clasp to the clothing of a user, said retractable wire clip further comprising a hollow ball positioned at a bottom side of said wire housing case and connected to an end of said wire, said hollow ball having a recess extending therethrough; and
- c) means for releasably securing said towel and said clasp wherein said attaching means passes through said eyelet and is releasably secured to said retractable wire clip via said recess in said hollow ball, thereby releasably securing said towel to the clothing via said attachment means and said clasp when said clip is secured to the clothing, wherein upon exertion of a force on said hollow ball causing said wire to extend from said wire housing case and thereby allowing said towel to extend from ~~said clasp~~

4. A towel attachment device comprising:

- a) a towel including an eyelet extending therethrough;
- b) a clasp for releasably securing said device to clothing of a user, said clasp comprising a single sided hook, said single side hook including a main body cylinder, a moveable button extending from said main body cylinder, a hook extending from one side of said main body cylinder and a latch movable between a first closed position and a second open position for releasably securing the clothing within said hook, said moveable button controlling movement of said latch between said first closed position and said second open position, said main body cylinder including a recess extending therethrough on a side opposite said hook and said latch; and
- c) means for releasably attaching said towel and said clasp wherein said attaching means passes through said eyelet of said towel and further passes through said recess thereby releasably securing said towel to the clothing via said attachment means and said clasp when said clothing is received within said hook and said latch is in said first closed position.

5. A towel attachment device comprising:

- a) a towel including an eyelet extending therethrough;
- b) a clasp for releasably securing said device to clothing of a user, said clasp forming a double sided attachment hook, said double sided attachment hook including a main body cylinder, a first hook extending from a first side of said main body cylinder, a first latch movable between a first position providing access to said first hook and a second position preventing access to said second hook and a first moveable button for controlling movement of said first latch between said first position wherein the clothing can be received within said hook and said second position wherein the clothing can be releasably secured within said hook and a second hook extending from a second side of said main body cylinder, a second latch movable between a first position providing access to said second hook and a second position preventing access to said second hook and a second moveable button for controlling movement of said second latch between said first and second positions;

and

c) means for releasably attaching said towel and said clasp wherein said attaching means pass through said eyelet and is releasably secured within said second hook when said second latch is in said second position thereby releasably securing said towel to the clothing via said attachment means when said first latch is in the second position and the clothing is received within said first hook.

6. A towel attachment device comprising:

- a) a towel including an eyelet extending therethrough;
- b) a clasp for releasably securing said device to clothing of a user, said clasp comprising a carabiner, said carabiner including a C-shaped member and a latch pivotally connected to said C-shaped member, said latch being movable between a first closed position and a second open position, whereby when said latch is in said second open position, clothing is receivable within said C-shaped member and said C-shaped member is caused to extend through said eyelet, wherein said towel is releasably secured to the clothing upon movement of said latch into said ~~first closed position via said carabiner,~~

7. A towel attachment device comprising:

- a) a towel including an eyelet extending therethrough;
- b) a clasp for releasably securing said device to clothing of a user, said clasp comprising a material attachment clip, said material attachment clip including a closed U-shaped ring; a first piece of material extending through said closed U-shape ring; and a second piece of material including an adhesive layer on a first side thereof, said adhesive layer securing said U-shaped ring between said first and second pieces of material, a first fastener positioned on one end of said first piece of material and a second fastener positioned on said second piece of material whereby when said first and second pieces of material are threaded through clothing of a user and said first and said second fasteners are brought together, said clasp is releasably secured to the clothing, whereby when said U-shaped ring passes through said eyelet said towel is releasably securing to the clothing via said clasp.

8. A towel attachment device as stated in Claim 7, wherein said first and said second pieces of material are formed from a durable, flexible material.

項目	単位	数量	金額	備考
1. 雑費	円	100	100	
2. 雑費	円	200	200	
3. 雑費	円	300	300	
4. 雑費	円	400	400	
5. 雑費	円	500	500	
6. 雑費	円	600	600	
7. 雑費	円	700	700	
8. 雑費	円	800	800	
9. 雑費	円	900	900	
10. 雑費	円	1000	1000	
11. 雑費	円	1100	1100	
12. 雑費	円	1200	1200	
13. 雑費	円	1300	1300	
14. 雑費	円	1400	1400	
15. 雑費	円	1500	1500	
16. 雑費	円	1600	1600	
17. 雑費	円	1700	1700	
18. 雑費	円	1800	1800	
19. 雑費	円	1900	1900	
20. 雑費	円	2000	2000	
21. 雑費	円	2100	2100	
22. 雑費	円	2200	2200	
23. 雑費	円	2300	2300	
24. 雑費	円	2400	2400	
25. 雑費	円	2500	2500	
26. 雑費	円	2600	2600	
27. 雑費	円	2700	2700	
28. 雑費	円	2800	2800	
29. 雑費	円	2900	2900	
30. 雑費	円	3000	3000	
31. 雑費	円	3100	3100	
32. 雑費	円	3200	3200	
33. 雑費	円	3300	3300	
34. 雑費	円	3400	3400	
35. 雑費	円	3500	3500	
36. 雑費	円	3600	3600	
37. 雑費	円	3700	3700	
38. 雑費	円	3800	3800	
39. 雑費	円	3900	3900	
40. 雑費	円	4000	4000	
41. 雑費	円	4100	4100	
42. 雑費	円	4200	4200	
43. 雑費	円	4300	4300	
44. 雑費	円	4400	4400	
45. 雑費	円	4500	4500	
46. 雑費	円	4600	4600	
47. 雑費	円	4700	4700	
48. 雑費	円	4800	4800	
49. 雑費	円	4900	4900	
50. 雑費	円	5000	5000	
51. 雑費	円	5100	5100	
52. 雑費	円	5200	5200	
53. 雑費	円	5300	5300	
54. 雑費	円	5400	5400	
55. 雑費	円	5500	5500	
56. 雑費	円	5600	5600	
57. 雑費	円	5700	5700	
58. 雑費	円	5800	5800	
59. 雑費	円	5900	5900	
60. 雑費	円	6000	6000	
61. 雑費	円	6100	6100	
62. 雑費	円	6200	6200	
63. 雑費	円	6300	6300	
64. 雑費	円	6400	6400	
65. 雑費	円	6500	6500	
66. 雑費	円	6600	6600	
67. 雑費	円	6700	6700	
68. 雑費	円	6800	6800	
69. 雑費	円	6900	6900	
70. 雑費	円	7000	7000	
71. 雑費	円	7100	7100	
72. 雑費	円	7200	7200	
73. 雑費	円	7300	7300	
74. 雑費	円	7400	7400	
75. 雑費	円	7500	7500	
76. 雑費	円	7600	7600	
77. 雑費	円	7700	7700	
78. 雑費	円	7800	7800	
79. 雑費	円	7900	7900	
80. 雑費	円	8000	80	